
GEDA® 2 PK



- Flexible system: can be used universally for all crane brands
- Full crane load thanks to movable mounts and light-weight aluminium structure
- Easy handling, fast assembly
- Maintenance-friendly design
- Proven technology in use worldwide – Made in Germany







GEDA 2 PK

The GEDA 2 PK transports the crane operator to his workplace, quickly and, above all, safely. This means no more risky, arduous climbs in often poor weather conditions. The flexible system means the hoist can be installed on all crane types from all manufacturers, up to a height of 150 m as a standard.
Once the base unit of the rack and pinion hoist has been assembled and anchored, the aluminium ladder sections, weighing only 22 kg, are installed through the open cabin roof and easily mounted without screws, using the patented quick-release connections.
Comprehensive safety features complete the overall concept of the GEDA 2 PK. When opening the car, a small ramp with side protection folds down and, in conjunction with the access barrier on the crane, ensures safe access to the car. A speed-dependent safety gear guarantees safety, while electrical safety elements prevent operating errors.
The crane operator hoist can also act as a life saver in an emergency situation, as the recovery and rescue of unconscious or ill crane operators can be conducted very quickly with the GEDA 2 PK.

Technical data:


200 kg
2 persons

60/80/120/150 m

24 m/min

1.5 kW/400 V/
50 Hz/16 A

Platform:



GEDA 2 PK 1 entrance and exit ramp

Accessories:

For a wide range of accessories visit: www.geda.de

Landing level safety gate:



2 PK
Art. No. 38100

You can use the GEDA 2 PK for ALL TYPES OF CRANES of the different manufacturers!



GEDA Access Platform UNI for the safe access between crane operator hoist and crane platform.



GEDA Crane Console UNI to assemble the GEDA 2 PK hanging on the crane